New Jersey Department of Transportation Project Descriptions

(\$ millions)

Commissioners Pike (CR 581)

The proposed improvements will consist of milling and resurfacing of the existing pavement. Portions of the roadway will be reconstructed as needed Safety improvements include the placement of new long-life epoxy traffic stripes, raised pavement markers, and the installation of new signage which meet the current FHWA guidelines for retroreflectivity. Any substandard guide rail installation will also be upgraded. Any existing inlet stream-flow grates will be removed and replaced with bicycle-safe grates. Any existing inlet cast iron curb pieces along the entire roadway length will removed and replaced with the current eco-friendly cast iron curb pieces.

DBNUM: S2111 / UPC: 213220

COUNTY: Salem

MUNICIPALITY: Alloway Twp, Pilesgrove Twp

SPONSOR: Salem County

MILEPOSTS: 7.26 - 9.26 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT):

MPO	Phase	Fund	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
SJTPO	DES	STBGP-L5K				\$0.150							\$0.150
SJTPO	CON	STBGP-L5K						\$1.500					\$1.500

New Jersey Department of Transportation Project Descriptions

(\$ millions)

Griffith Street/Grant Street (CR 657)

Mill and pave, sub-base repair, replace broken curb, striping, RPM's, guide rail upgrades, signage upgrades, drainage upgrades. County Road #657 is a

DBNUM: S1903 / UPC: 193380

major east-west road in Salem City and is heavily used by both residents and travelers. The road is in need of resurfacing

COUNTY: Salem LEGISLATIVE DISTRICT: 3

MUNICIPALITY: Salem City SPONSOR: Salem County

MILEPOSTS: 0.00-1.22 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): S10 (Exempt)

MPO	Phase	Fund	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
SJTPO	DES	STBGP-B5K200K	\$0.100										\$0.100
SJTPO	CON	STBGP-B5K200K			\$0.750								\$0.750

New Jersey Department of Transportation Project Descriptions

(\$ millions)

Quaker Neck Road (CR 657) Phase II

The proposed improvements will consist of milling and resurfacing of the existing pavement. Portions of the roadway will be reconstructed as needed. Safety improvements include the placement of new long-life epoxy traffic stripes, raised pavement markers, and the installation of new signage which meet the current FHWA guidelines for retroreflectivity. Any substandard guide rail installation will also be upgraded. Any existing inlet stream-flow grates will be removed and replaced with bicycle-safe grates. Any existing inlet cast iron curb pieces along the entire roadway length will removed and replaced with the current eco-friendly cast iron curb pieces.

DBNUM: S2112 / UPC: 213230

COUNTY: Salem

LEGISLATIVE DISTRICT: 3

MUNICIPALITY: Salem City, Mannington Twp, Alloway Twp

SPONSOR: Salem County

MILEPOSTS: 1.22 - 6.25 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT):

MPO	Phase	Fund	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
SJTPO	DES	STBGP-L5K			\$0.150								\$0.150
SJTPO	CON	STBGP-L5K					\$1.500						\$1.500

New Jersey Department of Transportation Project Descriptions

(\$ millions)

South Greenwich Street/Telegraph Road (CR 540), Phase 1

DBNUM: S1909 / UPC: 193440

This is currently in the current TIP, being moved to FY 22

COUNTY: Salem LEGISLATIVE DISTRICT: 3

MUNICIPALITY: Alloway Twp SPONSOR: Salem

MILEPOSTS: 13.15-15.40 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): S10, S9 (Exempt)

MPO	Phase	Fund	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
SJTPO	CON	STBGP-L5K	\$1.500										\$1.500

New Jersey Department of Transportation Project Descriptions

(\$ millions)

Telegraph Road (CR 540), Phase 2

Mill and pave, sub-base repair, replace broken curb, striping, RPM's, guide rail upgrades, signage upgrades, drainage upgrades. County Road #540 is a major East-West connector road through Salem County. The road is in a deteriorated condition and is in need of resurfacing.

DBNUM: S1908 / UPC: 193430

COUNTY: Salem LEGISLATIVE DISTRICT: 3

MUNICIPALITY: Quinton Twp SPONSOR: Salem

MILEPOSTS: 15.40-17.17 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): S9, S10 (Exempt)

	MPO	Phase	Fund	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
•	SJTPO	CON	STBGP-L5K	_	\$1.500)								\$1.500

New Jersey Department of Transportation Project Descriptions

(\$ millions)

DBNUM: S9912 / UPC: 193660

Welchville Road (CR 540)

Mill and pave, sub-base repair, replace broken curb, striping, RPM's guide rail upgrades, siganage upgrades, drainage upgrades. County Road #540 is a major East-Wet connector road through Salem County. The road is in a deterioated condition and is in need of repaying.

COUNTY: Salem LEGISLATIVE DISTRICT: 3

MUNICIPALITY: Alloway Twp, Mannington Twp SPONSOR: Salem County

MILEPOSTS: 8.70-11.67 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): S10 (Exempt)

MPO	Phase	Fund	FY 2022 I	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
SJTPO	DES	STBGP-L5K	\$0.100										\$0.100
SJTPO	CON	STBGP-L5K		\$0.750)								\$0.750

New Jersey Department of Transportation Project Descriptions

(\$ millions)

Willow Grove Road (CR 639); Perkintown Road (CR 644)

Mill and pave, sub-base repair, replace broken curb, striping, RPM's, guide rail upgrades, signage upgrades, drainage upgrades. County Road #644 is an east-west connector road from U.S. Route #130 to Interstate #295. The road is in a deteriorated condition

DBNUM: S1904 / UPC: 193390

COUNTY: Salem

MUNICIPALITY: Oldsmans Twp

LEGISLATIVE DISTRICT: 3

SPONSOR: Salem County

MILEPOSTS: 2.77-5.17 0.0-2.36 STRUCTURE NO.: N/A

FINANCIAL PLAN REQUIREMENT:

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): S10 (Exempt)

MPO	Phase	Fund	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	FY 2027	FY 2028	FY 2029	FY 2030	FY 2031	Total
SJTPO	DES	STBGP-L5K		\$0.150									\$0.150
SJTPO	CON	STBGP-L5K				\$1.500							\$1.500